

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**



Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Super Sour Diesel PKG P250001

Sample ID: T501048-01 CCB ID:MFG 240674
Matrix: Derivative Inhalable

Total Sample Received:
Total Units Received: 1

Date Sampled: 01/02/2025
Date Received: 01/02/2025
Date Reported: 01/08/2025

Safety Summary

Foreign Materials PASS	Heavy Metals PASS	Microbials PASS	Moisture Content NOT TESTED	Mycotoxins PASS
Pesticides PASS	Residual Solvents PASS	Terpenes TESTED	Water Activity PASS	Vitamins Supplements NOT TESTED

Potency Summary**Cannabinoids**

Date Prepared: 01/06/2025 09:30 Prep ID: 4599 Specimen Wt: 0.102 g
Date Analyzed: 01/06/2025 13:44 Analyst ID: 5047 Instrument: HPLC VWD
Lab Batch: 2501067 Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	N/A
Cannabidiol (CBD)	1	0.404	N/A	N/A
Cannabidiolic acid (CBDA)	1	ND	N/A	N/A
Cannabidivarin (CBDV)	1	ND	N/A	N/A
Cannabigerol (CBG)	1	11.3	N/A	N/A
Cannabigerolic acid (CBGA)	1	ND	N/A	N/A
Cannabinol (CBN)	1	2.71	N/A	N/A
d8 - Tetrahydrocannabinoid (d8-THC)	10	34.9	N/A	N/A
d9 - Tetrahydrocannabinoid (d9-THC)	1	1.75	N/A	N/A
d9 - Tetrahydrocannabinoid (d9-THC)	5	ND	N/A	N/A
d9 - Tetrahydrocannabinolic acid (THCA)	1	0.795	N/A	N/A
Tetrahydrocannabivarin (THCV)	1	ND	N/A	N/A
d10 - Tetrahydrocannabinoid (d10-THC)	1	19.3	N/A	N/A
Total THC		2.45	0.000	0.000
Total CBD		0.404	0.000	0.000
Total Cannabinoids		71.2	0.000	0.000

Total THC= THCa * 0.877 + d8-THC. Total CBD= CBDA * 0.877 + CBD.

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com



Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726
407-342-5755 / accusciencelabs.com



1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail:

PASS
Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Super Sour Diesel PKG P250001

Total Sample Received:

Total Units Received: 1

Date Sampled: 01/02/2025

Date Received: 01/02/2025

Date Reported: 01/08/2025

Sample ID: T501048-01 CCB ID:MFG 240674

Matrix: Derivative Inhalable

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analized	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2501023	LCMSMS	1/5/2025 4:21:34PM	2670-0754	1/3/2025 2:18:00PM	4599	1.03	SOP1350
* Pesticides GCQQQ	2501025	GCMSMS	1/5/2025 3:09:16PM	0754-2670	1/3/2025 2:18:00PM	4599	1.03	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
		ppb	ppb	ppb				ppb	ppb	ppb	
Abamectin	1	100	10	ND	Pass	Imidacloprid	1	400	40	ND	Pass
Acephate	1	100	10	ND	Pass	Kresoxim-methyl	1	100	10	ND	Pass
Acequinocyl	1	100	10	ND	Pass	Malathion	1	200	20	ND	Pass
Acetamiprid	1	100	10	ND	Pass	Metalaxyl	1	100	10	ND	Pass
Aldicarb	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin	1	100	10	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate	1	100	10	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin	1	100	10	ND	Pass	Myclobutanil	1	100	10	ND	Pass
Boscalid	1	100	10	ND	Pass	Naled	1	250	25	ND	Pass
Carbaryl	1	500	50	ND	Pass	Oxamyl	1	500	50	ND	Pass
Carbofuran	1	100	10	ND	Pass	Paclobutrazol	1	100	10	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Permethrin	1	100	10	ND	Pass
Chloromequat Chloride	1	1000	100	ND	Pass	Phosmet	1	100	10	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	200	20	ND	Pass	Prallethrin	1	100	10	ND	Pass
Coumaphos	1	100	10	ND	Pass	Propiconazole	1	100	10	ND	Pass
Cyfluthrin	1	500	50	ND	Pass	Propoxur	1	100	10	ND	Pass
Cypermethrin	1	500	50	ND	Pass	Pyrethrins	1	500	50	ND	Pass
Daminozide	1	100	10	ND	Pass	Pyridaben	1	200	20	ND	Pass
Diazinon	1	100	10	ND	Pass	Spinetoram, total	1	200	20	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spinosad, total	1	100	10	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiromesifen	1	100	10	ND	Pass
Dimethomorph	1	200	20	ND	Pass	Spirotetramat	1	100	10	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Tebuconazole	1	100	10	ND	Pass
Etoxazole	1	100	10	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid	1	100	10	ND	Pass	Thiamethoxam	1	500	50	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Trifloxystrobin	1	100	10	ND	Pass
Fenpyroximate	1	100	10	ND	Pass	Captan*	1	700	70	ND	Pass
Fipronil	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Flonicamid	1	100	10	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil	1	100	10	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox	1	100	10	ND	Pass	Pentachloronitrobenzene*	1	150	15	ND	Pass
Imazalil	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.


Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GCMSMS Pesticides

TL Laboratories

 10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terplifelabs.com



 Brian C. Spann
 Laboratory Director


AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS

Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Super
Sour Diesel PKG P250001

Total Sample Received:

Total Units Received: 1

Date Sampled: 01/02/2025

Date Received: 01/02/2025

Date Reported: 01/08/2025

Sample ID: T501048-01 CCB ID:MFG 240674

Matrix: Derivative Inhalable

Mycotoxins

Pass

Date Prepared: 01/03/2025 14:16
Date Analyzed: 01/05/2025 16:21Prepped By: 4599
Analyzed By: 2670-0754Specimen Wt: 1.03 g
Instrument: LCMSMS

Lab Batch: 2501023

Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Pass

Date Prepared: 01/03/2025 13:01
Date Analyzed: 01/06/2025 12:23Prep ID: 1093
Analyst ID: 1093Specimen Wt: 1.00 g
Instrument: qPCR

Lab Batch: 2501051

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Pass

Date Prepared: 01/03/2025 14:32
Date Analyzed: 01/03/2025 20:09Prep ID: 1150
Analyst ID: 3780

Instrument: Visual Inspection

Lab Batch: 2501054

Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

Date Prepared: 01/04/2025 12:34
Date Analyzed: 01/07/2025 19:05Prepped By: 1094
Analyzed By: 1094Specimen Wt: 0.50 g
Instrument: ICPMS

Lab Batch: 2501075

Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20.0	ND	Pass
Cadmium	1	200	20.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	200	20.0	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Pass

Date Prepared: 01/03/2025 16:27
Date Analyzed: 01/03/2025 16:27Prep ID: 1150
Analyst ID: 3780Specimen Wt: 0.18 g
Instrument: Water Activity Meter

Lab Batch: 2501054

Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.27	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.comBrian C. Spann
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS
**Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Super
Sour Diesel PKG P250001**

Total Sample Received:

Total Units Received: 1

Date Sampled: 01/02/2025

Date Received: 01/02/2025

Date Reported: 01/08/2025

Sample ID: T501048-01 CCB ID:MFG 240674

Matrix: Derivative Inhalable

Residual Solvents

Pass

Terpenes Summary

 Date Prepared: 01/03/2025 15:00
 Date Analyzed: 01/04/2025 13:31
 Lab Batch: 2501058

 Prep ID: 2447
 Analyst ID: 2447

 Specimen Wt: 0.05 g
 Instrument: GCMSMS Headspace
 Analysis Method: SOP1361

 Date Prepared: 01/03/2025 14:14
 Date Analyzed: 01/05/2025 17:11
 Lab Batch: 2501021

 Prep ID: 4599
 Analyzed ID: 2447

 Specimen Wt: 0.10 g
 Instrument: GCMS
 Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Analyte	Dilution	LOD	Results
		%	%
D-Limonene	1	0.0241	2.75
beta-Myrcene	1	0.0241	1.99
beta-Pinene	1	0.0241	0.472
alpha-Pinene	1	0.0241	0.443
Camphene	1	0.0241	0.127
E-Caryophyllene	1	0.0241	0.103
Terpinolene	1	0.0241	0.0918
alpha-Fenchyl alcohol, (+)-	1	0.0241	0.0428
beta-Ocimene	1	0.0241	0.0305
3-Carene (+)-	1	0.0241	ND
alpha-Bisabolol, L	1	0.0241	ND
alpha-Cedrene	1	0.0241	ND
alpha-Humulene	1	0.0241	ND
alpha-Phellandrene	1	0.0241	ND
alpha-Terpinene	1	0.0241	ND
alpha-Terpineol	1	0.0241	ND
Borneol	1	0.0241	ND
Camphor	1	0.0241	ND
Caryophyllene Oxide	1	0.0241	ND
Cedrol	1	0.0241	ND
E-Nerolidol	1	0.0241	ND
Eucalyptol	1	0.0241	ND
Farnesene	1	0.0241	ND
Fenchone	1	0.0241	ND
gamma-Terpinene	1	0.0241	ND
Geraniol	1	0.0241	ND
Geranyl Acetate	1	0.0241	ND
Guaiol	1	0.0241	ND
Isoborneol	1	0.0241	ND
Isopulegol	1	0.0241	ND
Linalool	1	0.0241	ND
Menthol	1	0.0241	ND
Nerol	1	0.0241	ND
p-Cymene	1	0.0241	ND
Pulegone	1	0.0241	ND
Sabinene	1	0.0241	ND
Sabinene hydrate	1	0.0241	ND
Valencene	1	0.0241	ND
Z-Nerolidol	1	0.0241	ND
Total Terpenes			6.050

N/A

Terpene results are provided for informational purposes only.

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

 10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terplifelabs.com



 Brian C. Spann
 Laboratory Director


AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



4 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)