



Global Widget

Client Lic#:  
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Roll-on 1500mg BS 89g - 3 floz

Total Sample Received: 89g

Total Units Received: 1

Unit Weight: 89g

Date Sampled: 05/21/2025

Date Received: 05/21/2025

Date Reported: 05/27/2025

Sample ID: T5E0567-01 CCB ID: Lot 250516

Matrix: Derivative Non-inhalable

**Safety Summary**

Foreign  
Materials

**PASS**

Heavy Metals

NOT TESTED

Microbials

**PASS**

Moisture  
Content

NOT TESTED

Mycotoxins

**PASS**

Pesticides

**PASS**

Residual  
Solvents

**PASS**

Terpenes

NOT TESTED

Water  
Activity

NOT TESTED

Vitamins  
Supplements

NOT TESTED

**Potency Summary**

**Cannabinoids**

Date Prepared: 05/23/2025 09:15

Prep ID: 4599

Specimen Wt: 0.105 g

Date Analyzed: 05/23/2025 15:58

Analyst ID: 5047

Instrument: HPLC VWD

Lab Batch: 2521128

Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	1.70	N/A	1,513
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	0.126	N/A	112
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		1.70	0.000	1,513
Total Cannabinoids		1.83	0.000	1,629

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.

mg/Unit = Unit Weight g \* Total THC/CBD mg/g


LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

ISO/IEC 17025 Accreditation No.: 109150

Lab Address: 40 S Dewey Street, Eustis, FL, 32726



PJLA  
Testing  
Accreditation#: 109150

Dr. Harry Behzadi, PhD.  
President, CEO



2 of 4



## Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Roll-on 1500mg BS 89g - 3 fl oz

Total Sample Received: 89g

Total Units Received: 1

Unit Weight: 89g

Date Sampled: 05/21/2025

Date Received: 05/21/2025

Date Reported: 05/27/2025

Sample ID: T5E0567-01 CCB ID: Lot 250516

Matrix: Derivative Non-inhalable

## Mycotoxins

Date Prepared: 05/21/2025 13:18  
Date Analyzed: 05/22/2025 07:36

Prepped By: 4599  
Analyzed By: 2670

Specimen Wt: 1.04 g  
Instrument: LCMSMS

**Pass**

Lab Batch: 2521074

Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Microbials

Date Prepared: 05/21/2025 14:06  
Date Analyzed: 05/22/2025 14:25

Prep ID: 1093  
Analyst ID: 1093

Specimen Wt: 1.00 g  
Instrument: qPCR

**Pass**

Lab Batch: 2521084

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Pseudomonas Aeruginosa	1	1	Absent in 1 gram	Pass
Staphylococcus Aureus	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	10000	1	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Foreign Materials

Date Prepared: 05/21/2025 14:05

Prep ID: 3780

Instrument: Visual Inspection

Date Analyzed: 05/21/2025 14:15

Analyst ID: 3780

**Pass**

Lab Batch: 2521066

Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ISO/IEC 17025 Accreditation No.: 109150

Lab Address: 40 S Dewey Street, Eustis, FL, 32726



PJLA  
Testing  
Accreditation#: 109150

Dr. Harry Behzadi, PhD.  
President, CEO



3 of 4



## Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Roll-on 1500mg BS 89g - 3 floz

Total Sample Received: 89g

Total Units Received: 1

Unit Weight: 89g

Date Sampled: 05/21/2025

Date Received: 05/21/2025

Date Reported: 05/27/2025

Sample ID: T5E0567-01 CCB ID: Lot 250516

Matrix: Derivative Non-inhalable

## Residual Solvents

**Pass**

Date Prepared: 05/21/2025 15:30

Prep ID: 2447

Specimen Wt: 0.05 g

Date Analyzed: 05/21/2025 17:39

Analyst ID: 2447

Instrument: GCMSMS Headspace

Lab Batch: 2521058

Analysis Method: SOP1361


Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ISO/IEC 17025 Accreditation No.: 109150

Lab Address: 40 S Dewey Street, Eustis, FL, 32726



PJLA  
Testing  
Accreditation#: 109150

Dr. Harry Behzadi, PhD.  
President, CEO

