

**Global Widget**

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**Green Roads CBD Puff Vape Strawberry Watermelon PKG  
P250313

Sample ID: T5F0056-01 CCB ID:MFG 250217

Matrix: Derivative Inhalable

Total Sample Received: 12g

Total Units Received: 1

Unit Weight: 12g

Date Sampled: 06/03/2025

Date Received: 06/03/2025

Date Reported: 06/08/2025

**Safety Summary****Foreign  
Materials****PASS****Heavy Metals****PASS****Microbials****PASS****Moisture  
Content**  
**NOT TESTED****Mycotoxins****PASS****Pesticides****PASS****Residual  
Solvents****PASS****Terpenes****NOT TESTED****Water  
Activity****PASS****Vitamins  
Supplements****NOT TESTED****Potency Summary****Cannabinoids**

Date Prepared: 06/04/2025 09:15

Prep ID: 4599

Specimen Wt: 0.110 g

Date Analyzed: 06/04/2025 18:36

Analyst ID: 5047

Instrument: HPLC VWD

Lab Batch: 2523036

Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	10	10.1	N/A	1,206
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	0.0664	N/A	7.96
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		10.1	0.000	1,212
Total Cannabinoids		10.1	0.000	1,212

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.

mg/Unit = Unit Weight g \* Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



199159

1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017)

**Global Widget**

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**Green Roads CBD Puff Vape Strawberry Watermelon PKG  
P250313

Total Sample Received: 12g

Total Units Received: 1

Unit Weight: 12g

Date Sampled: 06/03/2025

Date Received: 06/03/2025

Date Reported: 06/08/2025

Sample ID: T5F0056-01 CCB ID: MFG 250217

Matrix: Derivative Inhalable

**Pesticides****Pass**

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2523038	LCMSMS	6/4/2025 11:04:30PM	2670	6/4/2025 9:17:00AM	4599	1.00	SOP1350
* Pesticides GCQQQ	2523039	GCMSMS	6/5/2025 12:42:46AM	2670	6/4/2025 9:20:00AM	4599	1.00	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limit	LOD	Results	Status
Abamectin	1	100	10.0	ND	Pass	Imazalil	1	100	10.0	ND	Pass
Acephate	1	100	10.0	ND	Pass	Imidacloprid	1	400	40.0	ND	Pass
Acequinocyl	1	100	10.0	ND	Pass	Kresoxim-methyl	1	100	10.0	ND	Pass
Acetamiprid	1	100	10.0	ND	Pass	Malathion	1	200	20.0	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Metalaxyl	1	100	10.0	ND	Pass
Azoxystrobin	1	100	10.0	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Bifenazate	1	100	10.0	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenthrin	1	100	10.0	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Boscalid	1	100	10.0	ND	Pass	Myclobutanil	1	100	10.0	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Naled	1	250	25.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Paclobutrazol	1	100	10.0	ND	Pass
Chloromequat Chloride	1	1000	100	ND	Pass	Permethrin	1	100	10.0	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Phosmet	1	100	10.0	ND	Pass
Clofentezine	1	200	20.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Prallethrin	1	100	10.0	ND	Pass
Cyfluthrin	1	500	50.0	ND	Pass	Propiconazole	1	100	10.0	ND	Pass
Cypermethrin	1	500	50.0	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyrethrins	1	500	50.0	ND	Pass
Diazinon	1	100	10.0	ND	Pass	Pyridaben	1	200	20.0	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinetoram, total	1	200	20.0	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spinosad, total	1	100	10.0	ND	Pass
Dimethomorph	1	200	20.0	ND	Pass	Spiromesifen	1	100	10.0	ND	Pass
Ethoprophos	1	100	10.0	ND	Pass	Spirotetramat	1	100	10.0	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etoazole	1	100	10.0	ND	Pass	Tebuconazole	1	100	10.0	ND	Pass
Fenhexamid	1	100	10.0	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenoxycarb	1	100	10.0	ND	Pass	Thiamethoxam	1	500	50.0	ND	Pass
Fenpyroximate	1	100	10.0	ND	Pass	Trifloxystrobin	1	100	10.0	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Captan*	1	700	70.0	ND	Pass
Fonicamid	1	100	10.0	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Fludioxonil	1	100	10.0	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Hexythiazox	1	100	10.0	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass


LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

\* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

## Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**Green Roads CBD Puff Vape Strawberry Watermelon PKG  
P250313

Total Sample Received: 12g

Total Units Received: 1

Unit Weight: 12g

Date Sampled: 06/03/2025

Date Received: 06/03/2025

Date Reported: 06/08/2025

Sample ID: T5F0056-01 CCB ID:MFG 250217

Matrix: Derivative Inhalable

## Mycotoxins

Date Prepared: 06/04/2025 09:17  
Date Analyzed: 06/04/2025 23:04Prepped By: 4599  
Analyzed By: 2670Specimen Wt: 1.00 g  
Instrument: LCMSMS**Pass**

Lab Batch: 2523038

Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Microbials

Date Prepared: 06/04/2025 11:46  
Date Analyzed: 06/05/2025 14:45Prep ID: 1093  
Analyst ID: 1093Specimen Wt: 1.00 g  
Instrument: qPCR**Pass**

Lab Batch: 2523059

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Staphylococcus Aureus	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Pseudomonas Aeruginosa	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	10000	1	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Heavy Metals

Date Prepared: 06/05/2025 12:06  
Date Analyzed: 06/05/2025 20:00Prepped By: 1094  
Analyzed By: 1094Specimen Wt: 0.55 g  
Instrument: ICPMS**Pass**

Lab Batch: 2523075

Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20.0	ND	Pass
Cadmium	1	200	20.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	200	20.0	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Foreign Materials

Date Prepared: 06/04/2025 16:30  
Date Analyzed: 06/04/2025 16:40Prep ID: 1150  
Analyst ID: 1150

Instrument: Visual Inspection

**Pass**

Lab Batch: 2523044

Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Water Activity

Date Prepared: 06/04/2025 16:38  
Date Analyzed: 06/04/2025 16:38Prep ID: 1150  
Analyst ID: 1150Specimen Wt: 0.15 g  
Instrument: Water Activity Meter**Pass**

Lab Batch: 2523044

Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.04	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.comBrian C. Spann  
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accuscience.com



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

## Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**Green Roads CBD Puff Vape Strawberry Watermelon PKG  
P250313

Total Sample Received: 12g

Total Units Received: 1

Unit Weight: 12g

Date Sampled: 06/03/2025

Date Received: 06/03/2025

Date Reported: 06/08/2025

Sample ID: T5F0056-01 CCB ID:MFG 250217

Matrix: Derivative Inhalable

## Residual Solvents

**Pass**Date Prepared: 06/10/2025 16:30  
Date Analyzed: 06/10/2025 20:55  
Lab Batch: 2524041Prep ID: 2447  
Analyst ID: 2447Specimen Wt: 0.05 g  
Instrument: GCMSMS Headspace  
Analysis Method: SOP1361

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terlifelabs.comBrian C. Spann  
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



4 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)