

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**

Hemp Bombs Acai Oil 300mg CBD 30ml

1fl oz

Sample ID: T411530-01 CCB ID: LOT 24014
Matrix: Derivative Non-inhalable

Total Sample Received: 30ml

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 11/24/2024

Date Received: 11/25/2024

Date Reported: 11/27/2024

Safety Summary**Foreign
Materials**
PASS**Heavy Metals**
PASS**Microbials**
PASS**Moisture
Content**
NOT TESTED**Mycotoxins**
PASS**Pesticides**
PASS**Residual
Solvents**
PASS**Terpenes**
TESTED**Water
Activity**
PASS**Vitamins
Supplements**
NOT TESTED**Potency Summary****Cannabinoids**

Date Prepared: 11/25/2024 13:59
Date Analyzed: 11/26/2024 00:43
Lab Batch: 2448013

Prep ID: 4599
Analyst ID: 5047

Specimen Wt: 0.108 g
Instrument: HPLC VWD
Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	1.51	N/A	452
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		1.51	0.000	453
Total Cannabinoids		1.51	0.000	453

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726
407-342-5755 / accusciencelabs.com



1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail:

PASS



Hemp Bombs Acai Oil 300mg CBD 30ml

Total Sample Received: 30ml

Date Sampled: 11/24/2024

1floz

Total Units Received: 1

Date Received: 11/25/2024

Sample ID: T411530-01 CCB ID: LOT 24014

Unit Weight: 30g

Date Reported: 11/27/2024

Matrix: Derivative Non-inhalable

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2448027	LCMSMS	11/27/2024 5:44:27AM	2670-0754	11/26/2024 9:52:00AM	4599	1.02	SOP1350
* Pesticides GCQQQ	2448029	GCMSMS	11/26/2024 9:59:27PM	2670	11/26/2024 10:02:00AM	4599	1.02	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb				ppb	ppb	ppb	
Abamectin	1	300	30	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acephate	1	3000	300	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Malathion	1	2000	200	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Aldicarb	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin	1	500	50	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Boscalid	1	3000	300	ND	Pass	Naled	1	500	50	ND	Pass
Carbaryl	1	500	50	ND	Pass	Oxamyl	1	500	50	ND	Pass
Carbofuran	1	100	10	ND	Pass	Paclobutrazol	1	100	10	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chloromequat Chloride	1	3000	300	ND	Pass	Phosmet	1	200	20	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	500	50	ND	Pass	Prallethrin	1	400	40	ND	Pass
Coumaphos	1	100	10	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propoxur	1	100	10	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Daminozide	1	100	10	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Diazinon	1	200	20	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Etoazole	1	1500	150	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fenpyroximate	1	2000	200	ND	Pass	Captan*	1	3000	300	ND	Pass
Fipronil	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Flonicamid	1	2000	200	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Pentachloronitrobenzene*	1	200	20	ND	Pass
Imazalil	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.comBrian C. Spann
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**



Hemp Bombs Acai Oil 300mg CBD 30ml

1fl oz

Sample ID: T411530-01 CCB ID: LOT 24014
Matrix: Derivative Non-inhalable

Total Sample Received: 30ml

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 11/24/2024

Date Received: 11/25/2024

Date Reported: 11/27/2024

Mycotoxins

Date Prepared: 11/26/2024 09:52 Prepped By: 4599 Specimen Wt: 1.02 g
Date Analyzed: 11/26/2024 20:03 Analyzed By: 2670-0754 Instrument: LCMSMS
Lab Batch: 2448027 Prep Method: SOP 1363 Analysis Method: SOP 1350

Pass

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Date Prepared: 11/25/2024 15:56 Prep ID: 1093 Specimen Wt: 1.00 g
Date Analyzed: 11/27/2024 10:33 Analyst ID: 1093 Instrument: qPCR
Lab Batch: 2448019 Analysis Method: SOP1353/1364/1352

Pass

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Date Prepared: 11/26/2024 13:20 Prep ID: 3780 Instrument: Visual Inspection
Date Analyzed: 11/26/2024 14:45 Analyst ID: 3780
Lab Batch: 2448033 Analysis Method: SOP1359

Pass

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Date Prepared: 11/25/2024 13:03 Prepped By: 1094 Specimen Wt: 0.55 g
Date Analyzed: 11/25/2024 17:36 Analyzed By: 1094 Instrument: ICPMS
Lab Batch: 2447167 Prep Method: SOP 1362 Analysis Method: SOP1358

Pass

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	3000	300	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Date Prepared: 11/26/2024 13:30 Prep ID: 3780 Specimen Wt: 0.13 g
Date Analyzed: 11/26/2024 13:30 Analyst ID: 3780 Instrument: Water Activity Meter
Lab Batch: 2448033 Analysis Method: SOP1355

Pass

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.32	Pass

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com



Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726
407-342-5755 / accusciencelabs.com



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**



Hemp Bombs Acai Oil 300mg CBD 30ml

1fl oz

Sample ID: T411530-01 CCB ID: LOT 24014
Matrix: Derivative Non-inhalable

Total Sample Received: 30ml

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 11/24/2024

Date Received: 11/25/2024

Date Reported: 11/27/2024

Residual Solvents

Pass

Terpenes Summary

Date Prepared: 11/26/2024 14:30 Prep ID: 2447
Date Analyzed: 11/26/2024 17:24 Analyst ID: 2447
Lab Batch: 2448021 Specimen Wt: 0.05 g
Instrument: GCMSMS Headspace
Analysis Method: SOP1361

Date Prepared: 11/25/2024 14:02 Prep ID: 4599
Date Analyzed: 11/26/2024 01:31 Analyzed ID: 2447
Lab Batch: 2448016 Specimen Wt: 0.11 g
Instrument: GCMS
Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Analyte	Dilution	LOD	Results
		%	%
3-Carene (+)-	1	0.0232	ND
alpha Bisabolol, L	1	0.0232	ND
alpha-Cedrene	1	0.0232	ND
alpha-Fenchyl alcohol, (+)-	1	0.0232	ND
alpha-Humulene	1	0.0232	ND
alpha-Phellandrene	1	0.0232	ND
alpha-Pinene	1	0.0232	ND
alpha-Terpinene	1	0.0232	ND
alpha-Terpineol	1	0.0232	ND
beta-Myrcene	1	0.0232	ND
beta-OCimene	1	0.0232	ND
beta-Pinene	1	0.0232	ND
Borneol	1	0.0232	ND
Camphene	1	0.0232	ND
Camphor	1	0.0232	ND
Caryophyllene Oxide	1	0.0232	ND
Cedrol	1	0.0232	ND
D-Limonene	1	0.0232	ND
E-Caryophyllene	1	0.0232	ND
E-Nerolidol	1	0.0232	ND
Eucalyptol	1	0.0232	ND
Farnesene	1	0.0232	ND
Fenchone	1	0.0232	ND
gamma-Terpinene	1	0.0232	ND
Geraniol	1	0.0232	ND
Geranyl Acetate	1	0.0232	ND
Guaial	1	0.0232	ND
Isoborneol	1	0.0232	ND
Isopulegol	1	0.0232	ND
Linalool	1	0.0232	ND
Menthol	1	0.0232	ND
Nerol	1	0.0232	ND
p-Cymene	1	0.0232	ND
Pulegone	1	0.0232	ND
Sabinene	1	0.0232	ND
Sabinene hydrate	1	0.0232	ND
Terpinolene	1	0.0232	ND
Valencene	1	0.0232	ND
Z-Nerolidol	1	0.0232	ND
Total Terpenes		0.000	0.00 mg/Unit

Terpene results are provided for informational purposes only.
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726
407-342-5755 / accusciencelabs.com



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)