TL LABORATORIES

Certificate of Analysis

T404496



Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS

Hemp Bombs Acai Berry CBD Oil 3000 mg PKG 220349

Sample ID: T404496-01

Matrix: Derivative Non-inhalable



Total Sample Received: 30g Total Units Received: 1 Unit Weight: 30g

Date Sampled: Date Received: Date Reported: 04/26/2024 04/16/2024 04/30/2024

Safety Summary

Foreign **Materials NOT TESTED** **Heavy Metals**

NOT TESTED

Microbials

NOT TESTED

Moisture Content **NOT TESTED** **Mycotoxins**

NOT TESTED

Pesticides

NOT TESTED

Residual **Solvents NOT TESTED**

Terpenes NOT TESTED

Water **Activity NOT TESTED**

Vitamins Supplements **NOT TESTED**


Potency Summary



0.00% **Total THC**

0.00 mg/Unit

14.0% **Total CBD** 4,200.00 mg/Unit



Cannabinoids

Date Prepared: 04/29/2024 09:04 Date Analyzed: 04/30/2024 08:10 Lab Batch: 2418002

Prep ID: 4599 Analyst ID: 5074

Specimen Wt: 0.108 g Instrument: HPLC VWD Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	14.0	N/A	4,200
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	0.0652	N/A	19.5
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid	1	ND	N/A	ND
(d10-THC)				
Total THC		0.0000	0.000	0.000
Total CBD		14.0	0.000	4,200
Total Cannabinoids		14.0	0.000	4,200

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.

Serving Size
mg/Unit = Unit Weight g* Total THC/CBD mg/g
LOD = Limit of Detection; ND = No Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Brian C. Spann Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726 407-342-5755 / accusciencelabs.com



1 of 1