

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**



Hemp Bombs Pet Beef Oil 250mg CBD 30ml 1oz

Total Sample Received: 30g

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 05/07/2025

Date Received: 05/07/2025

Date Reported: 05/09/2025

Sample ID: T5E0197-01 CCB ID:MFG 25024

Matrix: Derivative Non-inhalable

Safety Summary

Foreign Materials PASS	Heavy Metals PASS	Microbials PASS	Moisture Content NOT TESTED	Mycotoxins PASS
Pesticides PASS	Residual Solvents PASS	Terpenes NOT TESTED	Water Activity PASS	Vitamins Supplements NOT TESTED

Potency Summary

Cannabinoids

Date Prepared: 05/07/2025 11:30
Date Analyzed: 05/07/2025 22:55
Lab Batch: 2519086

Prep ID: 4599
Analyst ID: 5047

Specimen Wt: 0.105 g
Instrument: HPLC VWD
Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	1.07	N/A	322
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	ND	N/A	ND
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	ND	N/A	ND
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.0000	0.000	0.000
Total CBD		1.07	0.000	321
Total Cannabinoids		1.07	0.000	321

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.com

Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail:

PASS

Hemp Bombs Pet Beef Oil 250mg CBD 30ml 1oz

Total Sample Received: 30g

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 05/07/2025

Date Received: 05/07/2025

Date Reported: 05/09/2025

Sample ID: T5E0197-01 CCB ID: MFG 25024

Matrix: Derivative Non-inhalable

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2519087	LCMSMS	5/8/2025 4:40:49AM	2670	5/7/2025 11:32:00AM	4599	1.01	SOP1350
* Pesticides GCQQQ	2519088	GCMSMS	5/7/2025 7:35:56PM	2670	5/7/2025 11:34:00AM	4599	1.01	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb				ppb	ppb	ppb	
Abamectin	1	300	30.0	ND	Pass	Imazalil	1	100	10.0	ND	Pass
Acephate	1	3000	300	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Malathion	1	2000	200	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenthrin	1	500	50.0	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Boscalid	1	3000	300	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Naled	1	500	50.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Paclobutrazol	1	100	10.0	ND	Pass
Chloromequat Chloride	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Phosmet	1	200	20.0	ND	Pass
Clofentezine	1	500	50.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Prallethrin	1	400	40.0	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Diazinon	1	200	20.0	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Ethoprophos	1	100	10.0	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etoazole	1	1500	150	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenoxycarb	1	100	10.0	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenpyroximate	1	2000	200	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Captan*	1	3000	300	ND	Pass
Flonicamid	1	2000	200	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com



Brian C. Spann
Laboratory Director



AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



Accreditation# 109150

2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail:

PASS



Hemp Bombs Pet Beef Oil 250mg CBD 30ml 1oz

Total Sample Received: 30g

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 05/07/2025

Date Received: 05/07/2025

Date Reported: 05/09/2025

Sample ID: T5E0197-01 CCB ID:MFG 25024

Matrix: Derivative Non-inhalable

Mycotoxins

Date Prepared: 05/07/2025 11:32
Date Analyzed: 05/07/2025 16:32Prepped By: 4599
Analyzed By: 2670Specimen Wt: 1.01 g
Instrument: LCMSMS

Pass

Lab Batch: 2519087

Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Date Prepared: 05/08/2025 13:35
Date Analyzed: 05/08/2025 15:31Prep ID: 1093
Analyst ID: 1093Specimen Wt: 1.00 g
Instrument: qPCR

Pass

Lab Batch: 2519117

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Pseudomonas Aeruginosa	1	1	Absent in 1 gram	Pass
Staphylococcus Aureus	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	10000	1	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Date Prepared: 05/07/2025 10:50
Date Analyzed: 05/07/2025 10:57Prep ID: 5046
Analyst ID: 3780

Instrument: Visual Inspection

Pass

Lab Batch: 2519079

Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Date Prepared: 05/07/2025 19:31
Date Analyzed: 05/08/2025 22:18Prepped By: 1094
Analyzed By: 1094Specimen Wt: 0.61 g
Instrument: ICPMS

Pass

Lab Batch: 2519098

Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	3000	300	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Date Prepared: 05/07/2025 10:53
Date Analyzed: 05/07/2025 10:53Prep ID: 5046
Analyst ID: 3780Specimen Wt: 0.16 g
Instrument: Water Activity Meter

Pass

Lab Batch: 2519079

Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.47	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.comBrian C. Spann
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**

Hemp Bombs Pet Beef Oil 250mg CBD 30ml 1oz

Total Sample Received: 30g

Total Units Received: 1

Unit Weight: 30g

Date Sampled: 05/07/2025

Date Received: 05/07/2025

Date Reported: 05/09/2025

Sample ID: T5E0197-01 CCB ID:MFG 25024

Matrix: Derivative Non-inhalable

Residual Solvents

Pass

Date Prepared: 05/07/2025 16:00

Prep ID: 2447

Specimen Wt: 0.05 g

Date Analyzed: 05/07/2025 23:56

Analyst ID: 2447

Instrument: GCMSMS Headspace

Lab Batch: 2519077

Analysis Method: SOP1361

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.comBrian C. Spann
Laboratory Director

AccuScience Laboratories

40 S. Dewey St, Eustis FL, 32726

407-342-5755 / accusciencelabs.com



4 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)