Certificate of Analysis

T5D0873

Global Widget Client Lic#: 8419 Sunstate St. Tampa, FL 33634 Eugene Choi - Global Widget Tampa			MYSTIG	CALLED A		
Compliance for Retail:	PASS	C UNIMALE S				
Mystic Labs Kratom Gummies Caribbean P250218, P250219	Punch PKG		Total Sample Received Total Units Received	•	Date Sampled: Date Received:	04/24/2025 04/24/2025
Sample ID: T5D0873-01 CCB ID:MFG 250161 Matrix: Edibles			Unit Weight: 150	g	Date Reported:	04/30/2025
	oreign	Heavy Metals	Microbials	Moisture	Mycotoxins	

Foreign Materials PASS	Heavy Metals PASS	Microbials PASS	Moisture Content NOT TESTED	Mycotoxins PASS	
Pesticides	Residual Solvents	Terpenes	Water Activity	Vitamins Supplements	
PASS	PASS	NOT TESTED	PASS	NOT TESTED	

Alkaloids (Kratom Potency)

Prep Mehtod: SOP 1363	Batch	Instrument	Analyzed	Analyst	Extracted	ExtractedBy	Specimen Wt. (g)	Analysis SOP
Alkaloid (HPLC)	2517140	HPLC	4/25/2025 2:38:30PM	5047	4/25/2025 10:14:00AM	4599	5.07	SOP1350

Analyte	Dilution	LOD	Results	mg/Piece	mg/Unit
		%	%	mg	mg
Speciociliatine	10	0.00987	ND	ND	ND
Mitragynine	100	0.0987	0.738	36.9	1,107
Speciogynine	10	0.00987	0.0593	2.95	88.5
Paynantheine	100	0.0987	ND	ND	ND
Mitraphylline	10	0.00987	ND	ND	ND
Andrographolide	10	0.00987	ND	ND	ND
7-Hydroxymitragynine	10	0.00987	ND	ND	ND
Arecoline (Hydrobromide)	10	0.00987	ND	ND	ND
Total Alkaloids			0.797		

Alkaloid results are provided for informational purposes only. LOD = Limit of Detection; ND = Not Detected.

ifications established by the Laboratory

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

ul freni



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

1 of 4

Certificate of Analysis

T5D0873

5 COUNT

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS

compliance to			1735									
Mystic Labs Kratom Gun P250218, P250219	nmies Ca	ribbean P	unch PKG			To	tal Sample Received: 150g			Date Sar	npled:	04/24/202
							Total Units Received: 1		[Date Rec	eived:	04/24/202
Sample ID: T5D0873-01 CCB Matrix: Edibles	ID:MFG 2	50161					Unit Weight: 150g		[Date Rep	orted:	04/30/202
Pesticides												Pass
Prep Mehtod: SOP 1363 Pesticide LCQQQ	Batch 2517126		Instrument LCMSMS		Analyzed 4/25/2025 8:3		Prepped 670 4/25/2025 9:16:00AM	Prepped 4599	i By Sp	ecimen Wt. (4.99	g) Ana	SOP1350
	2317120			1.00			1		A		Desults	1
Analyte		DIL A	ction Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
Abamectin		50	ppb 300	ppb 30.0	ppb ND	Pass	Imazalil	50	ррb 100	ppb 10.0	ppb ND	Pass
Acephate		50	3000	300	ND	Pass	Imidacloprid	50	3000	300	ND	Pass
Acequinocyl		50	2000	200	ND	Pass	Kresoxim-methyl	50	1000	100	ND	Pass
Acetamiprid		50	3000	300	ND	Pass	Malathion	50	2000	200	ND	Pass
Aldicarb		50	100	10.0	ND	Pass	Metalaxyl	50	3000	300	ND	Pass
Azoxystrobin		50	3000	300	ND	Pass	Methiocarb	50	100	10.0	ND	Pass
Bifenazate		50	3000	300	ND	Pass	Methomyl	50	100	10.0	ND	Pass
Bifenthrin		50	500	50.0	ND	Pass	Mevinphos	50	100	10.0	ND	Pass
Boscalid		50	3000	300	ND	Pass	Myclobutanil	50	3000	300	ND	Pass
Carbaryl		50	500	50.0	ND	Pass	Naled	50	500	50.0	ND	Pass
Carbofuran		50	100	10.0	ND	Pass	Oxamyl	50	500	50.0	ND	Pass
Chlorantraniliprole		50	3000	300	ND	Pass	Paclobutrazol	50	100	10.0	ND	Pass
Chlormequat Chloride	2	50	3000	300	ND	Pass	Permethrin	50	1000	100	ND	Pass
Chlorpyrifos		50	100	10.0	ND	Pass	Phosmet	50	200	20.0	ND	Pass
Clofentezine		50	500	50.0	ND	Pass	Piperonyl butoxide	50	3000	300	ND	Pass
Coumaphos		50	100	10.0	ND	Pass	Prallethrin	50	400	40.0	ND	Pass
Cyfluthrin		50	1000	100	ND	Pass	Propiconazole	50	1000	100	ND	Pass
Cvpermethrin		50	1000	100	ND	Pass	Propoxur	50	100	10.0	ND	Pass
Daminozide		50	100	10.0	ND	Pass	Pyrethrins	50	1000	100	ND	Pass
Diazinon		50	200	20.0	ND	Pass	Pyridaben	50	3000	300	ND	Pass
Dichlorvos		50	100	10.0	ND	Pass	Spinetoram, total	50	3000	300	ND	Pass
Dimethoate		50	100	10.0	ND	Pass	Spinosad, total	50	3000	300	ND	Pass
Dimethomorph		50	3000	300	ND	Pass	Spiromesifen	50	3000	300	ND	Pass
Ethoprophos		50	100	10.0	ND	Pass	Spirotetramat	50	3000	300	ND	Pass
Etofenprox		50	100	10.0	ND	Pass	Spiroxamine	50	100	10.0	ND	Pass
Etoxazole		50	1500	150	ND	Pass	Tebuconazole	50	1000	100	ND	Pass
enhexamid		50	3000	300	ND	Pass	Thiacloprid	50	100	10.0	ND	Pass
enoxycarb		50	100	10.0	ND	Pass	Thiamethoxam	50	1000	100	ND	Pass
Fenpyroximate		50	2000	200	ND	Pass	Trifloxystrobin	50	3000	300	ND	Pass
Fipronil		50	100	10.0	ND	Pass						I
Flonicamid		50	2000	200	ND	Pass						
Fludioxonil		50	3000	300	ND	Pass						
Hexythiazox		50	2000	200	ND	Pass						

LOD = Limit of Detection; ND = Not Detected

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. * - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

fant



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

2 of 4

Certificate of Analysis

T5D0873

5

Global	Widget
--------	--------

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: PASS

Mystic Labs Kratom Gummies Caribbean Punch PKG P250218, P250219 Sample ID: T5D0873-01 CCB ID:MFG 250161

Matrix: Edibles

Mycotoxins

Date Prepared: 04/25/2025 09:16 Date Analyzed: 04/25/2025 20:31 Prepped By: 4599 Specimen Wt: 4.99 g Instrument: LCMSMS Analyzed By: 2670 Prep Method: SOP 1363 Analysis Method: SOP 1350 Lab Batch: 2517126 DIL LOD Analyte Action Limit Results Status

		ppb	ppb	ppb
Aflatoxin B1	50	20.0	2	ND Pass
Aflatoxin B2	50	20.0	2	ND Pass
Aflatoxin G1	50	20.0	2	ND Pass
Aflatoxin G2	50	20.0	2	ND Pass
Ochratoxin A	50	20.0	2	ND Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

STIE TOM TO COUNT	CARIBBEAN PUNCH						
	Sample Received: 150g			Date S	Sampled:	04/24	/2025
	al Units Received: 1			Date R	eceived:	04/24	/2025
	Unit Weight: 150g			Date R	eported:	04/30	/2025
Pass	Microbials						Pass
	Date Prepared: 04/25/2025 15:55 Date Analyzed: 04/28/2025 11:51	Prep ID: 1093 Analyst ID: 1093			en Wt: 1.00 g ent: qPCR		
	Lab Batch: 2517156			Analysis	Method: SOP1353/1	364/1352	
Status	Analyte	Action	Limit	LOD	R	esults	Status
Status	Analyte	Action	Limit cfu/g	LOD cfu/g	R	esults cfu/g	Status
Status Pass	Analyte Aspergillus Flavus	Action		-	R Absent in 1	cfu/g	Status Pass
		Action		-		cfu/g I gram	
Pass	Aspergillus Flavus	Action		-	Absent in 1	^{cfu/g} I gram I gram	Pass
Pass Pass	Aspergillus Flavus Aspergillus Fumigatus	Action		cfu/g 1 1	Absent in 1 Absent in 1	^{cfu/g} I gram I gram I gram	Pass Pass
Pass Pass	Aspergillus Flavus Aspergillus Fumigatus	Action		cfu/g 1 1	Absent in 1 Absent in 1	^{cfu/g} I gram I gram	Pa Pa

Pseudomonas Aeruginosa 1 1 Absent in 1 gram Total Yeast and Mold 100000 10000 Standard Plate Count 100000 10000 LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Shiga Toxin producing E. Coli

Salmonella

Date Prepared: 04/25/2025 10:24 Date Analyzed: 04/25/2025 18:38 Prep ID: 1150 Instrument: Visual Inspection Analyst ID: 3780

Lab Batch: 2517142	Analysis Metho	d: SOP1359	
Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass
ND = Not Detected.			

1

1

1

1

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Pass

Date Prepared: 04/25/2025 10:32 Date Analyzed: 04/25/2025 10:32 Prep ID: 1150 Specimen Wt: 1.11 g Instrument: Water Activity Meter Analyst ID: 3780

Lab Batch: 2517142 Analysis Method: SOP1355

Status Action Limit Analyte Result aW aW Water Activity 0.85 0.45 ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the I.aboratory

Heavy Metals Date Prepared: 04/25/2025 17:35

Prepped By: 1094 Specimen Wt: 0.54 g

Date Analyzed: 04/28/2025 22:30 Lab Batch: 2517163	Analyzed		nstrument Method: S		Analysis	Method: SOP	1358	
Analyte	DIL	Action L	imit	L	OD	Resu	Its	Status
			ppb		ppb		ppb	
Arsenic	1	1	500		150		ND	Pass
Cadmium	1		500	5	0.0		ND	Pass
Lead	1		500	5	0.0		ND	Pass
Mercury	1	3	000	;	300		ND	Pass
Total						0	.00	

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Lund Jan



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the

operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

3 of 4

Pass

Pass

Pass

Pass ND

Pass

Pass

Pass

ND Pass

Absent in 1 gram

Absent in 1 gram

Certificate of Analysis

T5D0873

Global	Widget
--------	--------

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: PASS



Mystic Labs Kratom Gummies Caribbean Punch PKG	Total Sample Received: 150g	Date Sampled:	04/24/2025
P250218, P250219	Total Units Received: 1	Date Received:	
Sample ID: T5D0873-01 CCB ID:MFG 250161 Matrix: Edibles	Unit Weight: 150g	Date Reported:	04/30/2025

Residual Solvents Pass Date Prepared: 04/28/2025 11:00 Date Analyzed: 04/28/2025 20:36 Prep ID: 2447 Analyst ID: 2447 Specimen Wt: 0.05 g Instrument: GCMSMS Headspace Lab Batch: 2518004 Analysis Method: SOP1361 Analyte DIL Action Limit LOD Results Status ppm ppm ppm 1,1-Dichloroethene ND Pass 1 8.00 0.800 Pass 1,2-Dichloroethane 1 5.00 ND 0.500 ND 5000 Pass Acetone 1 500 Acetonitrile 1 410 ND Pass 41.0 Benzene ND 1 2.00 0.200 Pass Butane 5000 ND Pass 1 500 Chloroform 1 60.0 6.00 ND Pass Ethanol 5000 ND 1 500 Pass Ethyl acetate 5000 ND 1 500 Pass Ethyl ether ND 5000 Pass 1 500 ND Ethylene oxide 1 10.0 1.00 Pass Heptane 5000 ND Pass 1 500 Hexane 1 290 ND Pass 29.0 Isopropyl alcohol 1 5000 500 ND Pass Methanol 3000 ND Pass 1 300 Methylene chloride ND Pass 1 600 60.0 Pentane 5000 ND Pass 1 500 Propane 5000 ND Pass 1 500 Toluene 890 ND Pass 1 89.0 Xylenes, total 1 2170 ND Pass 217 Trichloroethylene 1 80.0 8.00 ND Pass

LOD = Limit of Detection; ND = Not Detected. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619 813-726-3103 / www.terplifelabs.com

Lund france



Brian C. Spann Laboratory Director

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

4 of 4