

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: **PASS**

Mystic Labs Kratom Gummies Mixed Berry Magic PKG P250348

Total Sample Received: 150g

Date Sampled: 06/09/2025

Total Units Received: 1

Date Received: 06/09/2025

Unit Weight: 150g

Date Reported: 06/12/2025

Sample ID: T5F0222-01 CCB ID:MFG 250208
Matrix: Edibles

| | | | | |
|---|---|--------------------------------------|--|--|
| Foreign Materials PASS | Heavy Metals PASS | Microbials PASS | Moisture Content NOT TESTED | Mycotoxins PASS |
| Pesticides PASS | Residual Solvents PASS | Terpenes NOT TESTED | Water Activity PASS | Vitamins Supplements NOT TESTED |

Alkaloids (Kratom Potency)

| Prep Method: SOP 1363 | Batch | Instrument | Analyzed | Analyst | Extracted | ExtractedBy | Specimen Wt. (g) | Analysis SOP |
|-----------------------|---------|------------|---------------------|---------|---------------------|-------------|------------------|--------------|
| Alkaloid (HPLC) | 2524069 | HPLC | 6/11/2025 1:01:46PM | 5047 | 6/11/2025 9:44:00AM | 4599 | 5.00 | SOP1350 |

| Analyte | Dilution | LOD | Results | | mg/Piece | mg/Unit |
|--------------------------|----------|--------|---------|--------------|----------|---|
| | | | % | % | mg | mg |
| Speciociliatine | 10 | 0.0100 | ND | ND | ND | ND |
| Mitragynine | 100 | 0.100 | 0.916 | 45.8 | 1,374 | <div style="width: 100%; height: 10px; background-color: green;"></div> |
| Speciogynine | 10 | 0.0100 | 0.0611 | 3.05 | 91.5 | <div style="width: 100%; height: 10px; background-color: lightblue;"></div> |
| Paynantheine | 10 | 0.0100 | 0.0712 | 3.55 | 107 | <div style="width: 100%; height: 10px; background-color: lightblue;"></div> |
| Mitraphylline | 10 | 0.0100 | ND | ND | ND | ND |
| Andrographolide | 10 | 0.0100 | ND | ND | ND | ND |
| 7-Hydroxymitragynine | 10 | 0.0100 | ND | ND | ND | ND |
| Arecoline (Hydrobromide) | 10 | 0.0100 | ND | ND | ND | ND |
| Total Alkaloids | | | | 1.048 | | |

Alkaloid results are provided for informational purposes only.
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.com

Brian C. Spann
Laboratory Director




The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: **PASS**

Mystic Labs Kratom Gummies Mixed Berry Magic PKG P250348

Total Sample Received: 150g

Date Sampled: 06/09/2025

Total Units Received: 1

Date Received: 06/09/2025

Sample ID: T5F0222-01 CCB ID:MFG 250208

Unit Weight: 150g

Date Reported: 06/12/2025

Matrix: Edibles

Pesticides

Pass

| | | | | | | | | |
|-----------------------|---------|------------|---------------------|---------|---------------------|------------|------------------|--------------|
| Prep Method: SOP 1363 | Batch | Instrument | Analyzed | Analyst | Prepped | Prepped By | Specimen Wt. (g) | Analysis SOP |
| Pesticide LCQQQ | 2524036 | LCMSMS | 6/10/2025 8:56:13PM | 2670 | 6/10/2025 9:30:00AM | 4599 | 5.17 | SOP1350 |

| Analyte | DIL | Action Limit | LOD | Results | Status | Analyte | DIL | Action Limit | LOD | Results | Status |
|-----------------------|-----|--------------|------|---------|--------|--------------------|-----|--------------|------|---------|--------|
| Abamectin | 50 | 300 | 30.0 | ND | Pass | Imazalil | 50 | 100 | 10.0 | ND | Pass |
| Acephate | 50 | 3000 | 300 | ND | Pass | Imidacloprid | 50 | 3000 | 300 | ND | Pass |
| Acequinocyl | 50 | 2000 | 200 | ND | Pass | Kresoxim-methyl | 50 | 1000 | 100 | ND | Pass |
| Acetamiprid | 50 | 3000 | 300 | ND | Pass | Malathion | 50 | 2000 | 200 | ND | Pass |
| Aldicarb | 50 | 100 | 10.0 | ND | Pass | Metalaxyl | 50 | 3000 | 300 | ND | Pass |
| Azoxystrobin | 50 | 3000 | 300 | ND | Pass | Methiocarb | 50 | 100 | 10.0 | ND | Pass |
| Bifenazate | 50 | 3000 | 300 | ND | Pass | Methomyl | 50 | 100 | 10.0 | ND | Pass |
| Bifenthrin | 50 | 500 | 50.0 | ND | Pass | Mevinphos | 50 | 100 | 10.0 | ND | Pass |
| Boscalid | 50 | 3000 | 300 | ND | Pass | Myclobutanil | 50 | 3000 | 300 | ND | Pass |
| Carbaryl | 50 | 500 | 50.0 | ND | Pass | Naled | 50 | 500 | 50.0 | ND | Pass |
| Carbofuran | 50 | 100 | 10.0 | ND | Pass | Oxamyl | 50 | 500 | 50.0 | ND | Pass |
| Chlorantraniliprole | 50 | 3000 | 300 | ND | Pass | Paclobutrazol | 50 | 100 | 10.0 | ND | Pass |
| Chloromequat Chloride | 50 | 3000 | 300 | ND | Pass | Permethrin | 50 | 1000 | 100 | ND | Pass |
| Chlorpyrifos | 50 | 100 | 10.0 | ND | Pass | Phosmet | 50 | 200 | 20.0 | ND | Pass |
| Clofentezine | 50 | 500 | 50.0 | ND | Pass | Piperonyl butoxide | 50 | 3000 | 300 | ND | Pass |
| Coumaphos | 50 | 100 | 10.0 | ND | Pass | Prallethrin | 50 | 400 | 40.0 | ND | Pass |
| Cyfluthrin | 50 | 1000 | 100 | ND | Pass | Propiconazole | 50 | 1000 | 100 | ND | Pass |
| Cypermethrin | 50 | 1000 | 100 | ND | Pass | Propoxur | 50 | 100 | 10.0 | ND | Pass |
| Daminozide | 50 | 100 | 10.0 | ND | Pass | Pyrethrins | 50 | 1000 | 100 | ND | Pass |
| Diazinon | 50 | 200 | 20.0 | ND | Pass | Pyridaben | 50 | 3000 | 300 | ND | Pass |
| Dichlorvos | 50 | 100 | 10.0 | ND | Pass | Spinetoram, total | 50 | 3000 | 300 | ND | Pass |
| Dimethoate | 50 | 100 | 10.0 | ND | Pass | Spinosad, total | 50 | 3000 | 300 | ND | Pass |
| Dimethomorph | 50 | 3000 | 300 | ND | Pass | Spiromesifen | 50 | 3000 | 300 | ND | Pass |
| Ethoprophos | 50 | 100 | 10.0 | ND | Pass | Spirotetramat | 50 | 3000 | 300 | ND | Pass |
| Etofenprox | 50 | 100 | 10.0 | ND | Pass | Spiroxamine | 50 | 100 | 10.0 | ND | Pass |
| Etoxazole | 50 | 1500 | 150 | ND | Pass | Tebuconazole | 50 | 1000 | 100 | ND | Pass |
| Fenhexamid | 50 | 3000 | 300 | ND | Pass | Thiacloprid | 50 | 100 | 10.0 | ND | Pass |
| Fenoxycarb | 50 | 100 | 10.0 | ND | Pass | Thiamethoxam | 50 | 1000 | 100 | ND | Pass |
| Fenpyroximate | 50 | 2000 | 200 | ND | Pass | Trifloxystrobin | 50 | 3000 | 300 | ND | Pass |
| Fipronil | 50 | 100 | 10.0 | ND | Pass | | | | | | |
| Fonicamid | 50 | 2000 | 200 | ND | Pass | | | | | | |
| Fludioxonil | 50 | 3000 | 300 | ND | Pass | | | | | | |
| Hexythiazox | 50 | 2000 | 200 | ND | Pass | | | | | | |

LOD = Limit of Detection; ND = Not Detected.
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
 * - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
 813-726-3103 / www.terlifelabs.com

Brian C. Spann
 Laboratory Director




The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: **PASS**

Mystic Labs Kratom Gummies Mixed Berry Magic PKG P250348

Total Sample Received: 150g
Total Units Received: 1
Unit Weight: 150g

Date Sampled: 06/09/2025
Date Received: 06/09/2025
Date Reported: 06/12/2025

Sample ID: T5F0222-01 CCB ID:MFG 250208
Matrix: Edibles

Mycotoxins

Pass

Date Prepared: 06/10/2025 09:20 Prepped By: 4599 Specimen Wt: 5.17 g
Date Analyzed: 06/10/2025 20:56 Analyzed By: 2670 Instrument: LCMSMS
Lab Batch: 2524036 Prep Method: SOP 1363 Analysis Method: SOP 1350

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------|-----|--------------|-----|---------|--------|
| | | ppb | ppb | ppb | |
| Aflatoxin B1 | 50 | 20.0 | 2 | ND | Pass |
| Aflatoxin B2 | 50 | 20.0 | 2 | ND | Pass |
| Aflatoxin G1 | 50 | 20.0 | 2 | ND | Pass |
| Aflatoxin G2 | 50 | 20.0 | 2 | ND | Pass |
| Ochratoxin A | 50 | 20.0 | 2 | ND | Pass |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

Pass

Date Prepared: 06/10/2025 10:47 Prep ID: 10198 Specimen Wt: 1.00 g
Date Analyzed: 06/12/2025 12:03 Analyst ID: 1093 Instrument: qPCR
Lab Batch: 2524040 Analysis Method: SOP1353/1364/1352

| Analyte | Action Limit | LOD | Results | Status |
|--------------------------------------|--------------|-------|------------------|--------|
| | cfu/g | cfu/g | cfu/g | |
| Aspergillus Flavus | 1 | 1 | Absent in 1 gram | Pass |
| Bile Tolerant Gram Negative bacteria | 1000 | 1 | ND | Pass |
| Aspergillus Fumigatus | 1 | 1 | Absent in 1 gram | Pass |
| Aspergillus Niger | 1 | 1 | Absent in 1 gram | Pass |
| Staphylococcus Aureus | 1 | 1 | Absent in 1 gram | Pass |
| Aspergillus Terreus | 1 | 1 | Absent in 1 gram | Pass |
| Salmonella | 1 | 1 | Absent in 1 gram | Pass |
| Shiga Toxin producing E. Coli | 1 | 1 | Absent in 1 gram | Pass |
| Pseudomonas Aeruginosa | 1 | 1 | Absent in 1 gram | Pass |
| Total Yeast and Mold | 100000 | 10000 | ND | Pass |
| Standard Plate Count | 100000 | 10000 | <LOD | Pass |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

Date Prepared: 06/09/2025 16:42 Prepped By: 1094 Specimen Wt: 0.52 g
Date Analyzed: 06/10/2025 19:04 Analyzed By: 1094 Instrument: ICPMS
Lab Batch: 2524028 Prep Method: SOP 1362 Analysis Method: SOP1358

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------|-----|--------------|------|---------|--------|
| | | ppb | ppb | ppb | |
| Arsenic | 1 | 1500 | 150 | ND | Pass |
| Cadmium | 1 | 500 | 50.0 | ND | Pass |
| Lead | 1 | 500 | 50.0 | ND | Pass |
| Mercury | 1 | 3000 | 300 | ND | Pass |
| Total | | | | 0.00 | |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

Pass

Date Prepared: 06/10/2025 14:58 Prep ID: 1150 Instrument: Visual Inspection
Date Analyzed: 06/10/2025 20:39 Analyst ID: 3780
Lab Batch: 2524045 Analysis Method: SOP1359

| Analyte | Action Limit (% by wt) | Results | Status |
|------------------|------------------------|---------|--------|
| Foreign Material | 1.00 | ND | Pass |
| Feces | 0.500 | ND | Pass |

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

Pass

Date Prepared: 06/10/2025 20:31 Prep ID: 1150 Specimen Wt: 0.68 g
Date Analyzed: 06/10/2025 20:31 Analyst ID: 3780 Instrument: Water Activity Meter
Lab Batch: 2524045 Analysis Method: SOP1355

| Analyte | Action Limit | Result | Status |
|----------------|--------------|--------|--------|
| | aW | aW | |
| Water Activity | 0.85 | 0.53 | Pass |

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terpifelabs.com

Brian C. Spann
Laboratory Director




The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#: 8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa



Compliance for Retail: **PASS**

Mystic Labs Kratom Gummies Mixed Berry Magic PKG P250348

Total Sample Received: 150g

Date Sampled: 06/09/2025

Total Units Received: 1

Date Received: 06/09/2025

Unit Weight: 150g

Date Reported: 06/12/2025

Sample ID: T5F0222-01 CCB ID:MFG 250208
Matrix: Edibles

Residual Solvents

Pass

Date Prepared: 06/10/2025 16:30 Prep ID: 2447 Specimen Wt: 0.05 g
Date Analyzed: 06/11/2025 09:03 Analyst ID: 2447 Instrument: GCMSMS Headspace
Lab Batch: 2524043 Analysis Method: SOP1361

| Analyte | DIL | Action Limit | LOD | Results | Status |
|--------------------|-----|--------------|-------|---------|--------|
| | | ppm | ppm | ppm | |
| 1,1-Dichloroethene | 1 | 8.00 | 0.800 | ND | Pass |
| 1,2-Dichloroethane | 1 | 5.00 | 0.500 | ND | Pass |
| Acetone | 1 | 5000 | 500 | ND | Pass |
| Acetonitrile | 1 | 410 | 41.0 | ND | Pass |
| Benzene | 1 | 2.00 | 0.200 | ND | Pass |
| Butane | 1 | 5000 | 500 | ND | Pass |
| Chloroform | 1 | 60.0 | 6.00 | ND | Pass |
| Ethanol | 1 | 5000 | 500 | ND | Pass |
| Ethyl acetate | 1 | 5000 | 500 | ND | Pass |
| Ethyl ether | 1 | 5000 | 500 | ND | Pass |
| Ethylene oxide | 1 | 10.0 | 1.00 | ND | Pass |
| Heptane | 1 | 5000 | 500 | ND | Pass |
| Hexane | 1 | 290 | 29.0 | ND | Pass |
| Isopropyl alcohol | 1 | 5000 | 500 | ND | Pass |
| Methanol | 1 | 3000 | 300 | ND | Pass |
| Methylene chloride | 1 | 600 | 60.0 | ND | Pass |
| Pentane | 1 | 5000 | 500 | ND | Pass |
| Propane | 1 | 5000 | 500 | ND | Pass |
| Toluene | 1 | 890 | 89.0 | ND | Pass |
| Xylenes, total | 1 | 2170 | 217 | ND | Pass |
| Trichloroethylene | 1 | 80.0 | 8.00 | ND | Pass |

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.com

Brian C. Spann
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)